



Versions list

Citybus o530 Facelift

Citybus by Kajosoft

o530 Facelift K 2d

Basic information:

Type: City	Door arrangement: 2-2-0
Length: 10.503 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift K 2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift K 2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift K 2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift K 2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift K 2d - 457 D864.3 Engine: OM 457 hLA 220 kW Transmission: D864.3 (4 gears)	o530 Facelift K 2d - 457 D864.5 Engine: OM 457 hLA 220 kW Transmission: D864.5 (4 gears)	o530 Facelift K 2d - 457 6HP594 Engine: OM 457 hLA 220 kW Transmission: 6HP594 (6 gears)	o530 Facelift K 2d - 457 6AP1700 Engine: OM 457 hLA 220 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift K 3dT

Big cabin available

Basic information:

Type: City

Length: 10.503 mm

Width: 2.550 mm

Height: 2.870 mm

Door arrangement: 2-2-2

Fuel type: Diesel

Emission standard: Euro 4/5

Engine orientation: Vertical



Versions:

o530 Facelift K 3dT - 926 D854.3

Engine: OM 926 LA - 205 kW
Transmission: D854.3 (4 gears)

o530 Facelift K 3dT - 926 D854.5

Engine: OM 926 LA - 205 kW
Transmission: D854.5 (4 gears)

o530 Facelift K 3dT - 926 6HP504

Engine: OM 926 LA - 205 kW
Transmission: 6HP504 (6 gears)

o530 Facelift K 3dT - 926 6AP1200

Engine: OM 926 LA - 205 kW
Transmission: 6AP1200 (6 gears)

o530 Facelift K 3dT - 457 D864.3

Engine: OM 457 LA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift K 3dT - 457 D864.5

Engine: OM 457 LA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift K 3dT - 457 6HP594

Engine: OM 457 LA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift K 3dT - 457 6AP1700

Engine: OM 457 LA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift 2d

Basic information:

Type: City	Door arrangement: 2-2-0
Length: 11.950 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift 2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift 2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift 2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift 2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift 2d - 457 D864.3 Engine: OM 457 hLA 220 kW Transmission: D864.3 (4 gears)	o530 Facelift 2d - 457 D864.5 Engine: OM 457 hLA 220 kW Transmission: D864.5 (4 gears)	o530 Facelift 2d - 457 6HP594 Engine: OM 457 hLA 220 kW Transmission: 6HP594 (6 gears)	o530 Facelift 2d - 457 6AP1700 Engine: OM 457 hLA 220 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift 3d

Big cabin available

Basic information:

Type: City

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 2.870 mm

Engine orientation: Horizontal



Versions:

o530 Facelift 3d - 906 D854.3

Engine: OM 906 hLA - 205 kW
Transmission: D854.3 (4 gears)

o530 Facelift 3d - 906 D854.5

Engine: OM 906 hLA - 205 kW
Transmission: D854.5 (4 gears)

o530 Facelift 3d - 906 6HP504

Engine: OM 906 hLA - 205 kW
Transmission: 6HP504 (6 gears)

o530 Facelift 3d - 906 6AP1200

Engine: OM 906 hLA - 205 kW
Transmission: 6AP1200 (6 gears)

o530 Facelift 3d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift 3d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift 3d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift 3d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift 3dT

Big cabin available

Basic information:

Type: City

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 2.870 mm

Engine orientation: Vertical



Versions:

o530 Facelift 3dT - 926 D854.3

Engine: OM 926 LA - 205 kW
Transmission: D854.3 (4 gears)

o530 Facelift 3dT - 926 D854.5

Engine: OM 926 LA - 205 kW
Transmission: D854.5 (4 gears)

o530 Facelift 3dT - 926 6HP504

Engine: OM 926 LA - 205 kW
Transmission: 6HP504 (6 gears)

o530 Facelift 3dT - 926 6AP1200

Engine: OM 926 LA - 205 kW
Transmission: 6AP1200 (6 gears)

o530 Facelift 3dT - 457 D864.3

Engine: OM 457 LA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift 3dT - 457 D864.5

Engine: OM 457 LA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift 3dT - 457 6HP594

Engine: OM 457 LA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift 3dT - 457 6AP1700

Engine: OM 457 LA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift CNG 2d

Basic information:

Type: City

Door arrangement: 2-2-0

Length: 11.950 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.389 mm

Engine orientation: Horizontal



Versions:

o530 Facelift CNG 2d - 447 D854.3

Engine: M 447 hLAG CNG 185 kW
Transmission: D854.3 (4 gears)

o530 Facelift CNG 2d - 447 D854.5

Engine: M 447 hLAG CNG 185 kW
Transmission: D854.5 (4 gears)

o530 Facelift CNG 2d - 447 6HP504

Engine: M 447 hLAG CNG 185 kW
Transmission: 6HP504 (6 gears)

o530 Facelift CNG 2d - 447 6AP1200

Engine: M 447 hLAG CNG 185 kW
Transmission: 6AP1200 (6 gears)

Citybus by Kajosoft

o530 Facelift CNG 3d

Basic information:

Type: City

Door arrangement: 2-2-2

Length: 11.950 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.389 mm

Engine orientation: Horizontal

Big cabin available



Versions:

o530 Facelift CNG 3d - 447 D854.3

Engine: M 447 hLAG CNG 185 kW
Transmission: D854.3 (4 gears)

o530 Facelift CNG 3d - 447 D854.5

Engine: M 447 hLAG CNG 185 kW
Transmission: D854.5 (4 gears)

o530 Facelift CNG 3d - 447 6HP504

Engine: M 447 hLAG CNG 185 kW
Transmission: 6HP504 (6 gears)

o530 Facelift CNG 3d - 447 6AP1200

Engine: M 447 hLAG CNG 185 kW
Transmission: 6AP1200 (6 gears)

Citybus by Kajosoft

o530 Facelift U 1-2d

Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 11.950 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 2.870 mm

Engine orientation: Horizontal



Versions:

o530 Facelift U 1-2d - 906 D854.3

Engine: OM 906 hLA - 205 kW
Transmission: D854.3 (4 gears)

o530 Facelift U 1-2d - 906 D854.5

Engine: OM 906 hLA - 205 kW
Transmission: D854.5 (4 gears)

o530 Facelift U 1-2d - 906 6HP504

Engine: OM 906 hLA - 205 kW
Transmission: 6HP504 (6 gears)

o530 Facelift U 1-2d - 906 6AP1200

Engine: OM 906 hLA - 205 kW
Transmission: 6AP1200 (6 gears)

o530 Facelift U 1-2d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift U 1-2d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift U 1-2d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift U 1-2d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift U 2d

Basic information:

Type: Suburban	Door arrangement: 2-2-0
Length: 11.950 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift U 2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift U 2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift U 2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift U 2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift U 2d - 457 D864.3 Engine: OM 457 hLA 220 kW Transmission: D864.3 (4 gears)	o530 Facelift U 2d - 457 D864.5 Engine: OM 457 hLA 220 kW Transmission: D864.5 (4 gears)	o530 Facelift U 2d - 457 6HP594 Engine: OM 457 hLA 220 kW Transmission: 6HP594 (6 gears)	o530 Facelift U 2d - 457 6AP1700 Engine: OM 457 hLA 220 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE 2d

Basic information:

Type: Low Entry City

Door arrangement: 2-2-0

Length: 12.040 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE 2d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE 2d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE 2d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE 2d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE 3d

Basic information:

Type: Low Entry City

Door arrangement: 2-2-1

Length: 12.040 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE 3d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE 3d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE 3d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE 3d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE U 1-2d

Basic information:

Type: Low Entry Suburban	Door arrangement: 1-2-0
Length: 12.040 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 3.318 mm	Engine orientation: Horizontal



Versions:

o530 Facelift LE U 1-2d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE U 1-2d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE U 1-2d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE U 1-2d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE U 1-3d

Basic information:

Type: Low Entry Suburban	Door arrangement: 1-2-1
Length: 12.040 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 3.318 mm	Engine orientation: Horizontal



Versions:

o530 Facelift LE U 1-3d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE U 1-3d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE U 1-3d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE U 1-3d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE U 2d

Basic information:

Type: Low Entry Suburban

Door arrangement: 2-2-0

Length: 12.040 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE U 2d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE U 2d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE U 2d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE U 2d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE U 3d

Basic information:

Type: Low Entry Suburban

Door arrangement: 2-2-1

Length: 12.040 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE U 3d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE U 3d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE U 3d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE U 3d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift MU 1-2d

Basic information:

Type: Suburban

Door arrangement: 1-2-0

Length: 13.008 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 2.870 mm

Engine orientation: Horizontal



Versions:

o530 Facelift MU 1-2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift MU 1-2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift MU 1-2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift MU 1-2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift MU 1-2d - 457 D864.3 Engine: OM 457 hLA 220 kW Transmission: D864.3 (4 gears)	o530 Facelift MU 1-2d - 457 D864.5 Engine: OM 457 hLA 220 kW Transmission: D864.5 (4 gears)	o530 Facelift MU 1-2d - 457 6HP594 Engine: OM 457 hLA 220 kW Transmission: 6HP594 (6 gears)	o530 Facelift MU 1-2d - 457 6AP1700 Engine: OM 457 hLA 220 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift MU 2d

Basic information:

Type: Suburban	Door arrangement: 2-2-0
Length: 13.008 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift MU 2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift MU 2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift MU 2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift MU 2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift MU 2d - 457 D864.3 Engine: OM 457 hLA 220 kW Transmission: D864.3 (4 gears)	o530 Facelift MU 2d - 457 D864.5 Engine: OM 457 hLA 220 kW Transmission: D864.5 (4 gears)	o530 Facelift MU 2d - 457 6HP594 Engine: OM 457 hLA 220 kW Transmission: 6HP594 (6 gears)	o530 Facelift MU 2d - 457 6AP1700 Engine: OM 457 hLA 220 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE MU 1-2d

Basic information:

Type: Low Entry Suburban

Door arrangement: 1-2-0

Length: 13.057 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE MU 1-2d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE MU 1-2d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE MU 1-2d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE MU 1-2d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE MU 1-3d

Basic information:

Type: Low Entry Suburban

Door arrangement: 1-2-1

Length: 13.057 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE MU 1-3d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE MU 1-3d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE MU 1-3d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE MU 1-3d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE MU 2d

Basic information:

Type: Low Entry Suburban

Door arrangement: 2-2-0

Length: 13.057 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE MU 2d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE MU 2d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE MU 2d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE MU 2d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LE MU 3d

Basic information:

Type: Low Entry Suburban

Door arrangement: 2-2-1

Length: 13.057 mm

Fuel type: Diesel

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.318 mm

Engine orientation: Horizontal



Versions:

o530 Facelift LE MU 3d - 457 D864.3

Engine: OM 457 hLA 220 kW
Transmission: D864.3 (4 gears)

o530 Facelift LE MU 3d - 457 D864.5

Engine: OM 457 hLA 220 kW
Transmission: D864.5 (4 gears)

o530 Facelift LE MU 3d - 457 6HP594

Engine: OM 457 hLA 220 kW
Transmission: 6HP594 (6 gears)

o530 Facelift LE MU 3d - 457 6AP1700

Engine: OM 457 hLA 220 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift L 2d

Basic information:

Type: City	Door arrangement: 2-2-0
Length: 14.995 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift L 2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift L 2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift L 2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift L 2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift L 2d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift L 2d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift L 2d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift L 2d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift L 3d

Big cabin available

Basic information:

Type: City	Door arrangement: 2-2-2
Length: 14.995 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift L 3d - 906 D854.3

Engine: OM 906 hLA - 205 kW
Transmission: D854.3 (4 gears)

o530 Facelift L 3d - 906 D854.5

Engine: OM 906 hLA - 205 kW
Transmission: D854.5 (4 gears)

o530 Facelift L 3d - 906 6HP504

Engine: OM 906 hLA - 205 kW
Transmission: 6HP504 (6 gears)

o530 Facelift L 3d - 906 6AP1200

Engine: OM 906 hLA - 205 kW
Transmission: 6AP1200 (6 gears)

o530 Facelift L 3d - 457 D864.3

Engine: OM 457 hLA 260 kW
Transmission: D864.3 (4 gears)

o530 Facelift L 3d - 457 D864.5

Engine: OM 457 hLA 260 kW
Transmission: D864.5 (4 gears)

o530 Facelift L 3d - 457 6HP604

Engine: OM 457 hLA 260 kW
Transmission: 6HP604 (6 gears)

o530 Facelift L 3d - 457 6AP1700

Engine: OM 457 hLA 260 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LU 1-2d

Basic information:

Type: Suburban	Door arrangement: 1-2-0
Length: 14.995 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift LU 1-2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift LU 1-2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift LU 1-2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift LU 1-2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift LU 1-2d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift LU 1-2d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift LU 1-2d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift LU 1-2d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift LU 2d

Basic information:

Type: Suburban	Door arrangement: 2-2-0
Length: 14.995 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift LU 2d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift LU 2d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift LU 2d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift LU 2d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift LU 2d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift LU 2d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift LU 2d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift LU 2d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift G 3d

Basic information:

Type: City	Door arrangement: 2-2-2-0
Length: 17.940 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift G 3d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift G 3d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift G 3d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift G 3d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift G 3d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift G 3d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift G 3d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift G 3d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift G 4d

Big cabin available

Basic information:

Type: City	Door arrangement: 2-2-2-2
Length: 17.940 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift G 4d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift G 4d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift G 4d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift G 4d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift G 4d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift G 4d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift G 4d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift G 4d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift G 4dT

Big cabin available

Basic information:

Type: City	Door arrangement: 2-2-2-2
Length: 17.940 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift G 4dT - 926 D854.3 Engine: OM 926 LA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift G 4dT - 926 D854.5 Engine: OM 926 LA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift G 4dT - 926 6HP504 Engine: OM 926 LA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift G 4dT - 926 6AP1200 Engine: OM 926 LA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift G 4dT - 457 D864.3 Engine: OM 457 LA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift G 4dT - 457 D864.5 Engine: OM 457 LA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift G 4dT - 457 6HP604 Engine: OM 457 LA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift G 4dT - 457 6AP1700 Engine: OM 457 LA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift G CNG 3d

Basic information:

Type: City

Door arrangement: 2-2-2-0

Length: 17.940 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.389 mm

Engine orientation: Horizontal



Versions:

o530 Facelift G CNG 3d - 447 D864.3

Engine: M 447 hLAG CNG 240 kW
Transmission: D864.3 (4 gears)

o530 Facelift G CNG 3d - 447 D864.5

Engine: M 447 hLAG CNG 240 kW
Transmission: D864.5 (4 gears)

o530 Facelift G CNG 3d - 447 6HP594

Engine: M 447 hLAG CNG 240 kW
Transmission: 6HP594 (6 gears)

o530 Facelift G CNG 3d - 447 6AP1700

Engine: M 447 hLAG CNG 240 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift G CNG 4d

Basic information:

Type: City

Door arrangement: 2-2-2-2

Length: 17.940 mm

Fuel type: CNG

Width: 2.550 mm

Emission standard: Euro 4/5

Height: 3.389 mm

Engine orientation: Horizontal

Big cabin available



Versions:

o530 Facelift G CNG 4d - 447 D864.3

Engine: M 447 hLAG CNG 240 kW
Transmission: D864.3 (4 gears)

o530 Facelift G CNG 4d - 447 D864.5

Engine: M 447 hLAG CNG 240 kW
Transmission: D864.5 (4 gears)

o530 Facelift G CNG 4d - 447 6HP594

Engine: M 447 hLAG CNG 240 kW
Transmission: 6HP594 (6 gears)

o530 Facelift G CNG 4d - 447 6AP1700

Engine: M 447 hLAG CNG 240 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift GU 1-3d

Basic information:

Type: Suburban	Door arrangement: 1-2-2-0
Length: 17.940 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift GU 1-3d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift GU 1-3d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift GU 1-3d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift GU 1-3d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift GU 1-3d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift GU 1-3d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift GU 1-3d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift GU 1-3d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift GU 3d

Basic information:

Type: Suburban	Door arrangement: 2-2-2-0
Length: 17.940 mm	Fuel type: Diesel
Width: 2.550 mm	Emission standard: Euro 4/5
Height: 2.870 mm	Engine orientation: Horizontal



Versions:

o530 Facelift GU 3d - 906 D854.3 Engine: OM 906 hLA - 205 kW Transmission: D854.3 (4 gears)	o530 Facelift GU 3d - 906 D854.5 Engine: OM 906 hLA - 205 kW Transmission: D854.5 (4 gears)	o530 Facelift GU 3d - 906 6HP504 Engine: OM 906 hLA - 205 kW Transmission: 6HP504 (6 gears)	o530 Facelift GU 3d - 906 6AP1200 Engine: OM 906 hLA - 205 kW Transmission: 6AP1200 (6 gears)
o530 Facelift GU 3d - 457 D864.3 Engine: OM 457 hLA 260 kW Transmission: D864.3 (4 gears)	o530 Facelift GU 3d - 457 D864.5 Engine: OM 457 hLA 260 kW Transmission: D864.5 (4 gears)	o530 Facelift GU 3d - 457 6HP604 Engine: OM 457 hLA 260 kW Transmission: 6HP604 (6 gears)	o530 Facelift GU 3d - 457 6AP1700 Engine: OM 457 hLA 260 kW Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift GL 3d

Basic information:

Type: City

Length: 19.540 mm

Width: 2.550 mm

Height: 2.870 mm

Door arrangement: 2-2-2-0

Fuel type: Diesel

Emission standard: Euro 4/5

Engine orientation: Horizontal



Versions:

o530 Facelift GL 3d - 457 D864.3

Engine: OM 457 hLA 260 kW
Transmission: D864.3 (4 gears)

o530 Facelift GL 3d - 457 D864.5

Engine: OM 457 hLA 260 kW
Transmission: D864.5 (4 gears)

o530 Facelift GL 3d - 457 6HP604

Engine: OM 457 hLA 260 kW
Transmission: 6HP604 (6 gears)

o530 Facelift GL 3d - 457 6AP1700

Engine: OM 457 hLA 260 kW
Transmission: 6AP1700 (6 gears)

Citybus by Kajosoft

o530 Facelift GL 4d

Basic information:

Type: City

Length: 19.540 mm

Width: 2.550 mm

Height: 2.870 mm

Door arrangement: 2-2-2-2

Fuel type: Diesel

Emission standard: Euro 4/5

Engine orientation: Horizontal

Big cabin available



Versions:

o530 Facelift GL 4d - 457 D864.3

Engine: OM 457 hLA 260 kW
Transmission: D864.3 (4 gears)

o530 Facelift GL 4d - 457 D864.5

Engine: OM 457 hLA 260 kW
Transmission: D864.5 (4 gears)

o530 Facelift GL 4d - 457 6HP604

Engine: OM 457 hLA 260 kW
Transmission: 6HP604 (6 gears)

o530 Facelift GL 4d - 457 6AP1700

Engine: OM 457 hLA 260 kW
Transmission: 6AP1700 (6 gears)